o/c

adani

Letter No. AVCTPL/VPT/EQ-1/ENV/884-12 **Date:** 7/05/2018

To
Additional Principal Chief Conservator of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office (SEZ),I[st] and IInd Floor, Handloom Export Promotion Council,
34, Cathedral Garden Road, Nungambakkam,
Chennai – 600034, TN, Mail: roefccc@gamil.com.

Sub: Half yearly Compliance report of Environment and CRZ Clearance (Oct'17 to Mar'18) for development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth at Visakhapatnam Port by M/s Visakhapatnam Port Trust -Reg.

Ref:

1) Environmental and CRZ clearance granted to M/s Visakhapatnam Port Trust vide letter dated 6th Jun, 2011 bearing F. No. 11-33/2010-IA-III
2) Correction in EC Corrigendum vide letter dated 8th July, 2011 bearing F. No. 11-33/2010-IA-III.
3) Environmental Clearance Amendment bearing F.No.11-33/2010-IA.III dated: 19th October, 2011.
4) Environmental Clearance Amendment bearing F.No.11-33/2010-IA.III (Pt.), dated 27th August, 2015.
5) Environmental Clearance Amendment bearing F.No.11-33/2010-IA.III(Pt.), dated 4th Sep 2017

Dear Sir,

With reference to subject and reference cited, Environment and CRZ Clearance is issued to Vishakhapatnam Port Trust for (i) development of East quay -IA (EQ-1A) berth on south side of EQ-I (ii) development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth.

Adani Vizag Coal Terminal Private Limited (AVCTPL) is a concessioner to M/s Vishakhapatnam Port Trust (VPT) for the development of EQ – 1 Berth and backup area **(Part ii of the above mentioned clearance)** whereas part (i) of the said clearance is being developed by a different sub concessioner.

No operational activity has been carried out for the period Oct 2017 – Mar 2018. Please find enclosed herewith point wise compliance report along with supporting documents on the conditions relevant to the part (ii) of the said clearance for period from Oct -2017 to Mar -2018 in hard copy and soft copy in CD.

Thanking you,

Yours faithfully,
For **M/s Adani Vizag Coal Terminal Private Limited**

ADANI VIZAG COAL TERMINAL PVT. LTD. VIZAG

Authorized Signatory

Encl: As annexure-1 and soft copy in CD.

भारतीय डाक India Post

RT161507099IN IVR:B2B4161507099
RL ANNA ROAD H.O <600002>
Counter No:17,14/05/2018,17:08
To:ADDITIONAL PR,MINISTRY OF ENVI
PIN:600034, Nungambakkam MDO
From:KUSU PRASAD,VISAKAPATNEM POR
Wt:100gms
Amt:48.00(Cash)

Copy to:

1. The Director (Monitoring –IA-III Division), Ministry of Environment, Forest & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110003
2. The Regional Officer, CPCB, 1st & 2nd Floor, Nisaraga bhawan, A Block, Thimmaiah Main Road, 7th D Cross, Shivanagar, opposite Pushpanjali theatre, Benguluru – 560010.
3. The Member Secretary, Andhra Pradesh Pollution Control Board, Vijayawada
4. The Regional Officer, Andhra Pradesh Pollution Control Board, Visakhapatnam
5. The Chairman, Vishakhapatnam Port Trust, Vizag -530035.
6. The Member Secretary, Andhra Pradesh Coastal Zone Management Authority

Adani Vizag Coal Terminal Pvt. Ltd.
Near Fire Station
Visakhapatnam Port Area
Visakhapatnam
Andhra Pradesh
530 055 India

Tel + 91 7095058886
info@adani.com
www.adani.com

Half yearly Compliance report for Environment and CRZ Clearance for development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth.

EC & CRZ Clearance issued vide F. No. 11-33/2010-IA-III dtd 6th Jun, 2011

SN	Conditions	Compliance
7	**Specific Conditions**	
i	Consent for Establishment shall be obtained from State Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.	Complied, Consent For Establishment (CFE) obtained from APPCB dated 07.01.2012, Vide order no.: 264/PCB/CFE/RO/-VSP/HO/2011. The same has been submitted wide letter no: AVCTPL/HSE/EQ-1/2013-14/004/878. Date 09/07/2014.
ii	Continuous monitoring of ambient air quality (as per notified standards) shall be carried out and continuous records maintained. Based on the monitoring data, necessary corrective measures as may be required from time to time shall be taken to ensure that the levels are within permissible limits. The results office of monitoring of MoEF at Bangalore regularly. Besides, the results of monitoring will also be put up on the website of the company in the public domain.	Environmental Monitoring has been stopped due to non-operation of the terminal since March - 2016. Detailed letter has been submitted to APPCB vide reference letter: AVCTPL/Env/PCB-ZO/2016-17/01, dated: 12th September, 2016 enclosed as Annexure-1. EC&CRZ compliance reports are available on website vide link http://www.adaniports.com/vizag_coal_terminal
iii	The six monthly monitoring reports as well as the monitoring data on various parameters as stipulated in the clearance conditions shall be put on the website of the company and also regularly updated. The monitored data shall also be submitted to respective Andhra Pradesh Pollution Control Board and the Regional Office of MoEF at Bangalauru.	Environmental Monitoring has been stopped due to non-operation of the terminal since March - 2016. Detailed letter has been submitted to APPCB vide reference letter: AVCTPL/Env/PCB-ZO/2016-17/01, dated: 12th September, 2016 enclosed as **Annexure-1.** EC&CRZ compliance reports are available in website vide link http://www.adaniports.com/vizag_coal_terminal for all the periods and being regularly submitted to Andhra Pradesh Pollution Control Board and the Regional Office of MoEF at Chennai, Tamil Nadu.
iv	The ambient air quality data shall displayed in public domain at some prominent place near the main gate of the Port and update in real time.	Environmental Monitoring has been stopped due to non-operation of the terminal since March - 2016. Detailed letter has been submitted to APPCB vide reference letter: AVCTPL/Env/PCB-ZO/2016-17/01, dated: 12th September, 2016 enclosed as **Annexure-1.**AVCTPL placed two sign boards as specified by the SPCB to display ambient air quality data at the entrance of the main gate.
v	All handling/ loading/ unloading shall be through enclosed conveyors.	The unit is non-operational since March -2016.

ADANI VIZAG COAL TERMINAL PVT. LTD. VIZAG

Half yearly Compliance report for Environment and CRZ Clearance for development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth.

EC & CRZ Clearance issued vide F. No. 11-33/2010-IA-III dtd 6th Jun, 2011

SN	Conditions	Compliance
vi	The CEIA report appears pertaining to EQ -1 and 1A on individual basis. The cumulative effect of all the berths which are already operating shall be taken into account and a report on existing status vs the future status of environment due to the additional development and the mitigation measures thereof particularly because the cargo is coal – a dusty cargo shall be submitted to the Ministry.	The unit is non-operational since March -2016. However, M/s VPT has engaged Jawaharlal Nehru Technological University, Kakinada, Andhra Pradesh for conducting the cumulative environmental impact assessment study.
vii	The report was silent on impacts during construction stage. Necessary measures shall be undertaken to mitigate the impacts during the construction phase.	Complied, Necessary measures were taken during construction phase.
viii	SPM level is reported to be on the higher side (GoAP letter dated 2/2/11). Necessary mitigation measures shall be implemented.	Environmental Monitoring has been stopped due to non-operation of the terminal since March - 2016. Detailed letter has been submitted to APPCB vide reference letter: AVCTPL/Env/PCB-ZO/2016-17/01, dated: 12th September, 2016 enclosed as **Annexure-1**
ix	Water Sprinkling shall be provided at all the transfer points/ storage yard.	Noted and will be complied as and when needed.
X	Spillage/ leachate shall be treated for removal of heavy metals if any and the sludge shall be disposed to the authorized TSDF.	Noted and will be complied as and when needed.
Xi	All the recommendation of the EIA, EMP shall be put in place.	Noted and will be complied as and when needed.
xii	There shall be no transport of coal/ cargo through roads.	The unit is non-operational since March -2016.
xiii	Oil spills if any shall be properly collected and disposed as per the rules	Noted for Compliance, AVCTPL is handling coal cargo. However, M/s VPT is having dedicated oil spill plan in case of any oil spills.
xiv	Layout plan showing the existing coal stockyard, which will be discontinued after modernization and one stack-yard which will be in use, shall be submitted with dimensions to MoEF and to SPCB.	Complied. AVCTPL layout plan has been submitted with half yearly compliance report dated 24th November, 2014. After modernization, drawing shall be submitted by VPT.
Xv	Proponent shall explore providing screw conveyor system/ any other suitable mechanism for transportation of coal from ship to belt conveyor in – place of grab loader and shall submit to MoEF and to SPCB to minimize the fugitive dust emissions at the time of ship loading.	The unit is non-operational since March -2016, however AVCTPL has adopted mechanized coal handling facility for transportation of coal to minimize the fugitive dust emissions.

ADANI VIZAG COAL TERMINAL PVT. LTD. VIZAG

Half yearly Compliance report for Environment and CRZ Clearance for development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth.

EC & CRZ Clearance issued vide F. No. 11-33/2010-IA-III dtd 6th Jun, 2011

SN	Conditions	Compliance
xvi	The coal storage shall be in closed shed to minimize the fugitive emissions and the drawings shall be submitted to MoEF and to SPCB." **The above mentioned specific condition amended by MoEF and new condition is mentioned below:** The coal stock yard shall be enclosed suitably to have three layer of green belt of varying height of all the sides. Water sprinkling shall be carried out regularly for settling dust as this coal stack yard is closed to inhabited areas.	VPT obtained EC amendment for specific condition, vide Letter Number: F.No.11-33/2010-IA.III (Pt.) date 27th August, 2015. Three layers of green belt have been developed and sprinkling frequency will be increased for settling dust and fugitive emissions, as and when required. Presently, the unit is non-operational since March - 2016.
xvii	Treated sewage shall be used for dust suppressions.	Complying, treated STP water from M/s VPT is being used in Dust Suppression System at AVCTPL.
xviii	Continuous AAQM for PM 2.5 at one location shall be provided in consultation with local SPCB.	Presently, the unit is non-operational since March - 2016. Continuous AAQMS equipments will be installed once operations resumed. Correspondence related to stoppage of operations has already submitted to APPCB and same is enclosed as **Annexure -1.**
xix	The project shall be implemented in such a manner that there is no damage whatsoever to the mangroves/other sensitive coastal ecosystems.	Noted, proposed project area is within the Port limit of M/s VPT and there are no mangroves/other sensitive coastal ecosystems in the project area.
xx	There shall be no withdrawal of ground water in CRZ area, for this project.	Complying, no ground water is being used.
xxi	The project shall be executed in such a manner that there shall not be any disturbance to the fishing activity.	Noted, project area is within the Port limit of M/s VPT and there is no fishing activity in the project area, considering to port security and safety.
xxii	It shall be ensured that there is no displacement of people houses or fishing activity as a result of the project.	Noted, as this is an existing port of M/s. VPT, there is no displacement of people.
xxiii	No construction work other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.	Complied, all the construction activities carried out are permitted in line to CRZ Notification 2011 and EC& CRZ Clearance obtained.
xxiv	The project proponent shall set separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.	Complied, AVCTPL will develop well structured Environment Management Cell, staffed with qualified manpower for implementation of the stipulated environmental safeguards.

ADANI VIZAG COAL TERMINAL PVT. LTD. VIZAG

Half yearly Compliance report for Environment and CRZ Clearance for development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth.

EC & CRZ Clearance issued vide F. No. 11-33/2010-IA-III dtd 6th Jun, 2011

SN	Conditions	Compliance
xxv	The funds earmarked for environment management plan shall be included in the budget and this shall not be diverted for any other purpose.	Will be complied
8.	**General Conditions**	
i	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	Complied, construction activities have been completed duly taking measures during digging activities.
ii	Full support shall be extended to the officers of this Ministry/ Regional Office at Bangaluru by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.	Being Complied with, AVCTPL is committed for full support to the officers of Ministry/Regional Office, MoEF as well as officers of Central and State Pollution Control Board and other regulatory authorities.
iii	A six-Monthly monitoring report shall need to be submitted by the project proponent to the Regional Office of this Ministry at Bangaluru regarding the implementation of the stipulated conditions.	Environmental Monitoring has been stopped due non-operational of the project since March -2016. Detailed letter has been submitted to state board vide reference letter: AVCTPL/Env/PCB-ZO/2016-17/01, dated: 12th September, 2016 enclosed as **Annexure-1.** Half yearly compliance report of the conditions stipulated in the Environment and CRZ clearance is being submitted to RO-MoEF at Chennai, RO-CPCB at Bengaluru, and APPCB at Hyderabad. Last compliance report for the period April 2017 – Sept 2017 has been submitted vide letter dated 14th November 2017, Enclosed as **Annexure - 2**
iv	Ministry of Environment & Forests or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.	Noted.
v	The ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the ministry.	Noted.
vi	In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment and Forests.	Noted.
vii	The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Complied, Financial Closure for the project is done on 27th March, 2012 and land development work was started on 08th August 2012 and construction completed in October, 2014.

ADANI VIZAG COAL TERMINAL PVT. LTD. VIZAG

Half yearly Compliance report for Environment and CRZ Clearance for development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth.

EC & CRZ Clearance issued vide F. No. 11-33/2010-IA-III dtd 6th Jun, 2011

SN	Conditions	Compliance
viii	A copy of the clearance letter shall be marked to concerned Panchayat/ local NGO, if any, from whom an suggestion/ representation has been made received while processing the proposal.	Complied.
ix	Andhra Pradesh Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office/ Tehsildar's office for 30 days.	Complied.
9	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment Protection Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 1994, including the amendments and rules made thereafter.	Noted.
10	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents form the respective competent authorities.	Complied, All necessary approvals have been obtained from concerned authorities and construction activity has been completed in October-2014.
11	The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forest at http://www.envfor.nic.in . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bangaluru.	Complied.
12	Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project.	Noted.
13	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in the website.	Noted. Half yearly compliance report is available in the website at http://www.adaniports.com/vizag_coal_terminal.aspx

ADANI VIZAG COAL TERMINAL PVT. LTD. VIZAG

Half yearly Compliance report for Environment and CRZ Clearance for development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth.

EC & CRZ Clearance issued vide F. No. 11-33/2010-IA-III dtd 6th Jun, 2011

SN	Conditions	Compliance
14	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/ Municipal Corporation, Urban Local Body and the Location NGO, if any, from whom suggestions / representations, if any were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Complied.
15	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Complying, Half yearly compliance report is available in the website at http://www.adaniports.com/vizag_coal_terminal.aspx and submitted to RO-MoEF at Chennai, RO-CPCB, Bengaluru, and APPCB, Hyderabad.
16	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environmental Protection Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Construction activity completed in October-2014. Environment Statement (Form-v) for the year 2016-2017 was submitted to APPCB vide letter no. No. AVCTPL/VPT/EQ-1/ENV/894/10 Dt.10.5.2017.

ADANI VIZAG COAL TERMINAL PVT. LTD. VIZAG

Annexure – I

adani

Ref: AVCTPL/Env/PCB-ZO/2016-17/01

Date: 12th September 2016

To
The Joint Chief Environmental Engineer
Andhra Pradesh Pollution Control Board (Zonal Office)
D.No. 39-33-20/4/1, Madhavadhara Vuda Colony, Vishakhapatnam

Sub: Reply to APPCB – ZO – VSP – Communication of minutes of the local committee (LC) to monitor the progress on implementation of action plan under Comprehensive Environmental Pollution Index (CEPI) for critically polluted area of Vishakhapatnam based on revised formula held on 06.09.2016 at 3.00 PM at Zonal Office, Vishakhapatnam, with industries covered under critically polluted area – Request to submit compliance for the action plan given to industries under CEPI program/ CFO order conditions/ Task Force directions on or before 13.09.2016 – Reg.

Ref: Your Letter Number 2328/PCB/ZO-VSP/Tech./2016, dated 07th September 2016 along with minutes of meeting.

Dear Sir,

In continuation to our response during subject meeting and reference cited, we would like to inform your good office that AVCTPL is not able to get cargo due to following issues.

a) Manual handling being carried out at VPT by other operators at lower TAMP rates. Due to which mechanised handling operations at AVCTPL is no more financially viable.
b) Jetties with manual handling system at VPT have unrestricted permission to handle coal through trucking. However same is lacking at Fully Mechanised Handling facility of AVCTPL and due to which it is difficult to serve nearby end users.
c) Handy Max vessels are encouraged at Jetties with manual handling that contributes to higher amount of Air pollution. Panamax vessels can be handled at Fully Mechanised Handling facility which takes care of Ambient Air Quality requirements.

In view of the above circumstances, for AVCTPL it had become difficult to do business. AVCTPL shall fully comply with all conditions if business survives. Same is possible only if manual handling is stopped by other operators within VPT, which is creating more Environmental Problems.

Thanking you,

Yours faithfully
For Adani Vizag Coal Terminal Private Limited.

A.P. Pollution Control Board · Zonal Office, Visakhapatnam

(Sanjay Dutta)
Head-Marketing

Adani Vizag Coal Terminal Pvt. Ltd.
Near Fire Station
Visakhapatnam Port Area
Visakhapatnam
Andhra Pradesh
530 055 India

Tel + 91 891 2872112
info@adani.com
www.adani.com

Annexure-II

adani

O/C

Letter No. AVCTPL/VPT/EQ-1/ENV/884-11 **Date:** 14/11/2017

To

Additional Principal Chief Conservator of Forests (C)
Ministry of Environment, Forest and Climate Change
Regional Office (SEZ),1st and IInd Floor
Handloom Export Promotion Council
34, Cathedral Garden Road, Nungambakkam
Chennai - 600034, TN, Mail: roefccc@gamil.com.

Sub: Half yearly Compliance report of Environment and CRZ Clearance (Apr'17 to Sep'17) for development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth at Visakhapatnam Port by M/s Visakhapatnam Port Trust -Reg.

Ref:

1) Environmental and CRZ clearance granted to M/s Visakhapatnam Port Trust vide letter dated 6th Jun, 2011 bearing F. No. 11-33/2010-IA-III
2) Correction in EC Corrigendum vide letter dated 8th July, 2011 bearing F. No. 11-33/2010-IA-III.
3) Environmental Clearance Amendment bearing F.No.11-33/2010-IA.III dated: 19th October, 2011.
4) Environmental Clearance Amendment bearing F.No.11-33/2010-IA.III (Pt.), dated 27th August, 2015.
5) Environmental clearance Amendment bearing F.No.11-33/2010-1A-111(Pt) Dated 4th Sep 2017

Dear Sir,

With reference to subject and reference cited, Environment and CRZ Clearance is issued to Vishakhapatnam Port Trust for (i) development of East quay -IA (EQ-1A) berth on south side of EQ-I (ii) development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth.

Adani Vizag Coal Terminal Private Limited (AVCTPL) is a concessioner to M/s Vishakhapatnam Port Trust (VPT) for the development of EQ – 1 Berth and backup area **(Part ii of the above mentioned clearance)** whereas part (i) of the said clearance is being developed by a different sub concessioner.

Please find enclosed herewith point wise compliance report along with supporting documents on the conditions relevant to the part (ii) of the said clearance for period from April -2017 to Sep -2017 in hard copy and soft copy in CD.

Thanking you,

Yours faithfully,
For **M/s Adani Vizag Coal Terminal Private Limited**

14/11/2017

Authorized Signatory

Encl: Annexure-1 & 2 and soft copy in CD.

Copy to:

1. The Director (IA Division), MoEF&CC, ParyavaranBhawan, CGO Complex, Lodi Road, New Delhi-110003.
2. The Regional Officer, CPCB, Nisaragabhawan, A Block, Thimmaiah Main Road, Benguluru – 560010.
3. The Member Secretary, Andhra Pradesh Pollution Control Board, Hyderabad - 500018
4. The Chairman, Vishakhapatnam Port Trust, Vizag -530035.

Adani Vizag Coal Terminal Pvt. Ltd.
Near Fire Station
Visakhapatnam Port Area
Visakhapatnam
Andhra Pradesh
530 055 India

Tel + 91 7095058886
info@adani.com
www.adani.com

adani

Letter No. AVCTPL/VPT/EQ-1/ENV/884-11 **Date:** 14/11/2017

To
Additional Principal Chief Conservator of Forests (C)
Ministry of Environment, Forest and Climate Change
Regional Office (SEZ), I[st] and IInd Floor
Handloom Export Promotion Council
34, Cathedral Garden Road, Nungambakkam
Chennai – 600034, TN, Mail: roefccc@gamil.com.

Sub: Half yearly Compliance report of Environment and CRZ Clearance (Apr'17 to Sep'17) for development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth at Visakhapatnam Port by M/s Visakhapatnam Port Trust -Reg.

Ref:
1) Environmental and CRZ clearance granted to M/s Visakhapatnam Port Trust vide letter dated 6th Jun, 2011 bearing F. No. 11-33/2010-IA-III
2) Correction in EC Corrigendum vide letter dated 8th July, 2011 bearing F. No. 11-33/2010-IA-III.
3) Environmental Clearance Amendment bearing F.No.11-33/2010-IA.III dated: 19th October, 2011.
4) Environmental Clearance Amendment bearing F.No.11-33/2010-IA.III (Pt.), dated 27th August, 2015.
5) Environmental clearance Amendment bearing F.No.11-33/2010-1A-111(Pt) Dated 4th Sep 2017

Dear Sir,

With reference to subject and reference cited, Environment and CRZ Clearance is issued to Vishakhapatnam Port Trust for (i) development of East quay -IA (EQ-1A) berth on south side of EQ-I (ii) development of East quay -1 (EQ-I) by replacing the existing EQ-I berth and part of EQ-2 berth.

Adani Vizag Coal Terminal Private Limited (AVCTPL) is a concessioner to M/s Vishakhapatnam Port Trust (VPT) for the development of EQ – 1 Berth and backup area **(Part ii of the above mentioned clearance)** whereas part (i) of the said clearance is being developed by a different sub concessioner.

Please find enclosed herewith point wise compliance report along with supporting documents on the conditions relevant to the part (ii) of the said clearance for period from April -2017 to Sep -2017 in hard copy and soft copy in CD.

Thanking you,

Yours faithfully,
For **M/s Adani Vizag Coal Terminal Private Limited**

14/11/2017

Authorized Signatory

Encl: Annexure-1 & 2 and soft copy in CD.

Copy to:
1. The Director (IA Division), MoEF&CC, ParyavaranBhawan, CGO Complex, Lodi Road, New Delhi-110003.
2. The Regional Officer, CPCB, Nisaragabhawan, A Block, Thimmaiah Main Road, Benguluru – 560010.
3. The Member Secretary, Andhra Pradesh Pollution Control Board, Hyderabad - 500018
4. The Chairman, Vishakhapatnam Port Trust, Vizag -530035.

Adani Vizag Coal Terminal Pvt. Ltd.
Near Fire Station
Visakhapatnam Port Area
Visakhapatnam
Andhra Pradesh
530 055 India

Tel + 91 7095058886
info@adani.com
www.adani.com

20/11/17
CENTRAL POLLUTION CONTROL BOARD
REGIONAL DIRECTORATE (SOUTH)
BENGALURU

SHIPPER

Customer Code 008960
Company Anani
Sender
Address
City Pin 53
Tel. Mob
E-mail : K.V.S.V Prasad

CONSIGNEE

Consignee Code
Company
Attn. The Additional Chief
Address Regional Office
City Pin 600034
Tel. Mob
E-mail MAA

NON NEGOTIABLE-AT OWNER'S RISK

BLUE DART EXPRESS LIMITED

DOMESTIC PRIORITY

ORG	SC	DST	SC
Cell		MAA	

No. of Pkgs: PIN WT

DOX-01 Non DOX-02
Dim (Cms) 02
Dim Wt(kg)
Act.Wt.(kg)
Amount
Insurance 0.5
Others
Total

Description	Comm. Value of Consignment	Code
CD	50	014

INSURANCE

The Shipper has stated that
Cline has not insured the Consignment
Cline has insured the Consignment
Insurance Policy No.
Amount
Insurance Company
Octroi (Rs.)

15104771441

PLEASE QUOTE THE ABOVE NUMBER IN FUTURE CORRESPONDENCE

NAME
P/U
Date 15/11/17 Time 6.00
Sh P/U
Date Emp # 10547
Sign
Name
Priority PUR #

SHIPPER'S COPY

FOC Code Cash (1) SCN (4) Credit (2) BTP (4) Cr. Card (3) Code
SCN/BTP No.
Del. Date Time
Del. Emp # Sign
Name

Cash Memo #
Special Instructions

SUB PRODUCT CODE

Track @www.bluedart.com OR call us @ 1860-233-1234